



750R Rancher Post Driver



1000E Post Driver



1500E Post Driver

**The Montana Post Driver** is a serious productivity tool built on hydraulic concrete breaker technology, enabling you to install fence posts even in hard and rocky ground. We have seen experienced crews run at rates up to 2 posts per minute in favorable conditions. Attaching one of these post drivers to a skid loader can be done in less than a minute. Choosing a Montana Post Driver will give you ease-of-use, longevity, and optimum efficiency.

Features:

- **Domed cup driving head:** Keeps the post centered and reduces post breakage (A flat-topped cup is also available.)
- **Triple purpose chain:** Acts as a plumb bob, an adjustable depth gauge, and a post puller.
- **Post rack:** Work quickly using the convenient post rack built into the frame of the post driver on the skid steer units.
- **Low profile:** Doesn't tip over when detached like most other post drivers.
- **Low maintenance:** Only one grease fitting and two moving parts give you hours of hassle-free operation.
- Three size options can be matched to your skid steer or excavator to give you maximum efficiency.
- All models include an excavator or skid steer mount.
- We stock all parts for these breakers and offer a one-year warranty!

<b>Models Available:</b>	<b>750R Rancher Post Driver</b>	<b>1000E Post Driver</b>	<b>1500E Post Driver</b>
Ft-Lb. energy class:	750	1150	1500
Weight of Post Driver with skid steer mount:	1350 lbs.	2000 lbs.	2300 lbs.
Min. Skid Steer Lifting Capacity:	1500 lbs.	2500 lbs.	3000 lbs.
Weight of Post Driver with excavator mount:	800 lbs.	900 lbs.	1200 lbs.
Required Excavator Size:	8,000-14,000 lbs.	12,000-18,000 lbs.	14,000-28,000 lbs.
Oil Flow (GPM):	11-18	13-24	16-27
Working Pressure:	2000 PSI	2200 PSI	2300 PSI
Blow Rate (Blows per min.):	500-900	400-800	400-800
Chisel Shaft Diameter:	2.7"	3"	3.35"
Domed Cup Diameter OD:	8"OD	9"OD	10"OD
Thickness of Steel Plate Frame:	3/4"	3/4"	3/4"
Warranty:	1 Year Warranty	1 Year Warranty	1 Year Warranty
<b>Price</b> (including skid steer or excavator mount)	<b>\$5900*</b>	<b>\$7900*</b>	<b>\$9900*</b>

**\*Note: Additional tariffs may increase the price. Please check with your local dealer for additional fees.**

# INTRODUCING!

## MONTANA T-REX POST DRIVER

A convenient attachment for driving pipe and T-posts in all types of applications.



### 350E



Built with the same attention to quality as the other Montana Post Driver models. The T-Rex 350E outperforms other T-post drivers on the market. The Montana T-Rex Post Driver fills a role in our product line. Ideal for posts such as oil field pipe, T-posts, tent stakes, chainlink posts and more. It can drive posts through moderate rocky soil.



### Key Features:

- Energy class: 350 ft. lb.
- Oil Flow (GPM): 5-10 gpm
- Working pressure: 1300-1500 psi
- Blow Rate (Blows per min.): 700-1200
- Driving Cup Diameter: 3½" Inside Diameter
- Domed head eliminates need for tilt
- Single Lubrication Point
- Unit Weight: 200 lbs.
- MSRP \$2,500\*

\*Additional tariffs may apply, confirm with your local dealer.

### Available in two models:

- T-Rex 350E Fork Attachment Model
- T-Rex 350E Post Driver Attachment Model

### Includes:

- Hydraulic Hoses with flat face couplers
- Nitrogen Charge Kit
- Chain

### Does not include:

- Nitrogen bottle



Fork Attachment Model





**350E**

**Post Driver  
Attachment Model**



**Options in development:**

- Fork cradle for transporting posts
- Excavator mounting bracket for a 2,600-6,600 weight excavator
- T-Rex 350E w/ skid steer quick attachment plate
- T-Rex 350E w/ skid steer quick attachment plate with side extension



# INTRODUCING!

## AUGER ATTACHMENT



With the flip of a selector valve, drill a pilot hole before driving a post into hard or rocky soil.

The auger's powerful hydraulic motor makes the job easier and faster than ever before, saving you money. Additionally, the auger attachment can easily be added to existing Montana Post Drivers, requiring minimal modification simply bolt on and change hoses.

The simple selector valve allows you to switch from post driver operation to auger operation. It does not require any electrical hookups to your skid steer, and only one set of hoses is required to run the driver or the auger.



### 4 Carbide Auger Teeth for Aggressive Hole Drilling



#### Key Features:

- 2" hex-drive shaft
- Selector valve to make changing from post-driver mode to auger mode easy
- 4" Head, 4 tooth (Standard) - MSRP \$3000 USD

#### Optional Features:

- 6" carbide tooth auger available
- Bullet-tooth head available for drilling through concrete or rock, 4" and 6"



# INTRODUCING!

## EXCAVATOR MOUNT



A convenient attachment for mounting  
your post driver on an excavator



Quick Attach  
Model

Available in two models:

- Pin
- Quick Attach




## How to Measure

A: Pin Diameter

B: Gap

C: Center Line



Quick Attach



Pin

### Bobcat Mounts

(Kansas)

HMP 123

HMP 123R

Exchange Quick Attach

E80/85

E80/85R

Pin Diameter (mm)	Gap (mm)	Center line (mm)
-	N/A	-
45	200	291
55	200	291



Pin

### CAT Mounts

HMP 044

HMP 034 (HMP 100?)

HMP 0127

HMP 098

HMP 058

303.5

305.5/304/305 CR

307

308, 308E

420

40	130	200
45	156	260
45	186	306
50	200	306
45/50	206/256	345



Quick Attach



Pin

### John Deere Mounts

HMQ 011

HMQ 019

HMP 066

27/35 Quick Attach


50/60

310/410

-	N/A	-
45	162	230
54.61/49.53	207	304



Quick Attach



Pin

### Kubota Mounts

HMQ006

HMQ002

HMQ010

Q007

HMQ008

KX161/U46-Quick Attach

KX40/41/91/121/U35

KX057/U55

Kubota 161 Pin

KX080

-	N/A	-
40	135	171/234
45	146	261
45	146	245
60	204	296



Pin

### Komatsu Mounts

HMP 069

HMP 027

100/120/128/138

60/75/78/80/88/90/95

60	260	374
50	200	310



Quick Attach

### Wayne Roy Mount

Wayne Roy

W27, HMW27 1-1/4"

-	N/A	-
---	-----	---



Pin

### More Mounts

Dosan HMP 141

Case HMP 101

Takeuchi HMP 033

Takeuchi HMP 148

Volvo HMP 102

Yanmar

DX63

CASE 580-L-K-M

280/290/175W/180FR

TD260

ER45/50/58

VOI 35/Gehl 35

45	155	260
44.5	254	354
50	165	292
45	166	248.5
40	160	220